

Challenges for the disaster workforce during a compound hurricane–pandemic

Jennifer Marshall, PhD, MPH, CPH
Juita-Elena (Wie) Yusuf, PhD
Elizabeth Dunn, MPH, CPH
Kelsey Merlo, PhD
Joshua G. Behr, PhD
A. Michael Shekari, BS
Blake L. Scott, MPH
Melanie Cruz, BS
Jennifer L. Whytlaw, PhD
Nicole S. Hutton, PhD

ABSTRACT

assisting clients with special medical needs. Faithbased organizations are another vital contributor to the response, along with Community Organizations Researchers and practitioners recognize that disaster work is stressful and exhausting, and prolonged engagement in disaster preparedness, response, and recovery efforts can, over time, cause burnout. The COVID-19 pandemic is already imposing an emotional and physical toll on healthcare workers. ^{33,34} Healthcare workers face challenges associated with the pandemic response, such as limited resources, longer shifts, excessive workloads, disruptions to sleep, inadequate personal protective equipment, and related occupational hazards associated with COVID-

19 exposures. ,ciorio18(,)3t1(physi25(,)37piritusi2547(37d)]TJ 95303 Tw T*interte perso25(,)37(a(recotecti alcrupti"an,)37fc7(yiti37(r10(37d)]TJ169001 Tw * [(thelpposial fe1(pat.a(-)Tj -1J 0 - 1J 0 - 1J

based on the discussion in their breakout group. For each workshop, an After Action Report was compiled from emergent themes from these summaries of each breakout group. The detailed summaries, After Action Reports, transcription of breakout discussions, and online chat comments were further analyzed by the research team to identify key themes relevant to answering the research questions.

RESULTS AND DISCUSSION

The project identifies three issues from practitioner and subject matter expert perspectives and describes the potential impacts. These are discussed in relation to the resources and strategies suggested to reconcile capacity and demand.

Complexity of mass sheltering during a hurricane–pandemic

The management of sheltering operations is complex, touching upon facilities management, staffing, resources and supplies, logistics, security, and care for clients, among other critical tasks. Management of sheltering operations under the current public health crisis adds another layer of complexity. Specifically, workshop participants highlighted that risk perceptions within the general population, as well as among disaster workers, are altered under the COVID-19 environment. These risk perceptions permeate the management of sheltering across nearly every domain and, as workshop participants noted, meant that management and operational approaches need to be adjusted to this new reality.

Expanded skillsets and competencies. Pa a. a. a., a a., t.,, aba, a., $a \cdot a \cdot a \cdot a \cdot b \cdot b \cdot b - a \cdot b \cdot a \cdot b \cdot$ $a \mapsto a, a, \ldots a, \ldots T \mapsto a, \ldots$ a. a, + b, F. a. , f, ... a , a... , ... , ... ,a ,, ,, - + ,, a, a, , , .

Another challenge raised by workshop participants is that fear is at an all-time high; racial tensions, violence, and other inequities have contributed to mistrust; and the political environment is polar ized and charged. Therefore, the job of managing and overseeing large groups of people within a congregate shelter may feel less safe and more stressful than ever before. There is a need to engage new partners and bring new workers to the table who have the people skills and cultural competence to manage shelters in such an environment and to provide person-centric and family-centered services.

Inadequate workforce

Participants recognized that a limited workforce will be available to staff these shelters, and that individuals who are already burned out from a monthslong pandemic may also be the ones asked to staff the

shelters. Trained staff and volunteers are the pillars of shelter operations and the successful management of these coordination efforts. Staff and volunteers also come from the communities that shelters intend to serve. Thus, many risk perceptions and crosspressures experienced by the populations at-large are also relevant to the shelter staff. Workshop participants noted that they expect there will be hesitancy or the inability of some shelter staff and volunteers to be present for duties given concerns about contracting COVID-19. Furthermore, workshop participants noted that government agencies have undertaken

Table 1. Research questions related to disaster planning during and after COVID-19 (continued)

- What stressors (chronic and acute) in the evacuation and sheltering process are introduced or exacerbated due to COVID-19?
- How can shelter staff balance the need to protect their and others' psychological health during a compound hurricane-pandemic threat with necessarily limited time and resources?

Largely, the workshops served as a channel for emergency management personnel to express concerns, ask questions, and share their resources and recommendations. The blend of response levels and experience present at the workshops revealed the comradery among the disaster workforce and the limited opportunities to share beneficial resources. The researchers fostered this communication through facilitated discussions, the dissemination of After Action Reports, and collection of resources from various agencies to make available to participants.

ACKNOWLEDGMENTS

This project was funded by the National Science Foundationfunded Social Science Extreme Events Research (SSEER) Network and the CONVERGE facility at the Natural Hazards Center at the University of Colorado Boulder (NSF Award #1841338) and the University of South Florida Pandemic Response Research Network.

Jennifer Marshall, PhD, MPH, CPH, University of South Florida College of Public Health, Sunshine Education and Research Center, Tampa, Florida. ORCID: https://orcid.org/0000-0003-3907-7729.

Juita-Elena (Wie) Yusuf, PhD, School of Public Service, Strome College of Business, Institute for Coastal Adaptation and Resilience, Old Dominion University, Norfolk, Virginia.

Elizabeth Dunn, MPH, CPH, Global Disaster Management, Humanitarian Relief, and Homeland Security (GHH), University of South Florida College of Public Health, Tampa Florida.

Kelsey Merlo, PhD, Department of Psychology, I/O Psychology Program, University of South Florida, Tampa, Florida.

Joshua G. Behr, PhD, Virginia Modeling, Analysis and Simulation Center (VMASC), Institute for Coastal Adaptation and Resilience, Old Dominion University, Suffolk, Virginia.

A. Michael Shekari, BS, Embry-Riddle Aeronautical University, Daytona Beach, Florida

Blake L. Scott, MPH, University of South Florida College of Public Health, Tampa, Florida.

Melanie Cruz, BS, University of South Florida College of Public Health, Tampa, Florida.

Jennifer L. Whytlaw, PhD, Department of Political Science & Geography, Old Dominion University, Norfolk, Virginia.

Nicole S. Hutton, PhD, Department of Political Science and Geography, Old Dominion University, Norfolk, Virginia.

REFERENCES

- 1. McGuire M, Schneck D: What if Hurricane Katrina hit in 2020? The need for strategic management of disasters. Public Adm Rev. 2010; 70(s1): s201-s207.
- 2. Sobelson RK, Wigington CJ, Harp V, et al.: A whole community approach to emergency management: Strategies and best practices of seven community programs. J Emerg Manag. 2015; 13(4): 349-357.
- 3. Doan XV, Shaw D: Resource allocation when planning for simultaneous disasters. Eur J Oper Res. 2019; 274(2): 687-709.
- 4. Phillips CA, Caldas A, Cleetus R, et al.: Compound climate risks in the COVID-19 pandemic. Nat Clim Chang. 2020; 10: 586-588.
- 5. Shultz JM, Kossin JP, Hertelendy A, et al.: Mitigating the twin threats of climate-driven Atlantic hurricanes and COVID-19 transmission. Disaster Med Public Health Prep. 2020; 14(4): 494-503.
- Shultz JM, Fugate C, Galea S: Cascading risks of COVID-19 resurgence during an active 2020 atlantic hurricane season. JAMA. 2020; 324(10): 935-936.
- 7. Specker L: FEMA chief: COVID-19 makes early hurricane prep vital. AL.com. 2020. Available at https://www.al.com/news/mobile/2020/07/fema-chief-covid-19-makes-early-hurricane-prepvital.html. Accessed October 22, 2020.
- 8. Auger KA, Shah SS, Richardson T, et al.: Association between statewide school closure and COVID-19 incidence and mortality in the US. JAMA. 2020; 324(9): 859-870.
- 9. Capano G, Howlett M, Jarvis DSL, et al.: Mobilizing policy (in) capacity to fight COVID-19: Understanding variations in state responses. Policy Soc. 2020; 39(3): 285-308.
- 10. Chu DK, Akl EA, Duda S, et al.: Physical distancing, face masks, and eye protection to prevent person-to-person transmission of SARS-CoV-2 and COVID-19: A systematic review and meta-analysis. Lancet. 2020; 395(395): 1973-1987.
- 11. Cowling BJ, Aiello AE: Public health measures to slow community spread of coronavirus disease 2019. J Infect Dis. 2020; 221(11): 1749-1751.
- 12. Fong MW, Gao H, Wong JY, et al.: Nonpharmaceutical measures for pandemic influenza in nonhealthcare settings—Social distancing measures. Emerg Infect Dis. 2020; 26(5): 976-984.
- 13. Hsiang S, Allen D, Annan-Phan S, et al.: The effect of large-scale anti-contagion policies on the COVID-19 pandemic. Nature. 2020; 584(7820): 262-267.
- 14. Khorram-Manesh A: Flexible surge capacity—public health, public education, and disaster management. Health Promot Perspect. 2020; 10(3): 175-179.
- 15. Dzigbede KD, Gehl SB, Willoughby K: Disaster resiliency of US local governments: Insights to strengthen local response and recovery from the COVID-19 pandemic. Public Adm Rev. 2020; 80(4): 634-643.
- 16. Demiroz F, Kapucu N: Cross-sector partnerships in managing disasters: Experiences from the United States. In Izumi T, Shaw R (eds.): Disaster Management and Private Sectors. Tokyo: Springer, 2015: 169-186.

- 17. Kapucu N, Yuldashev F, Feldheim MA: Nonprofit organizations in disaster response and management: A network analysis. JEFA. 2018; 2(1): 69-98.
- 18. Palinkas LA, Springgate BF, Sugarman OK, et al.: A rapid assessment of disaster preparedness needs and resources during the COVID-19 pandemic. Int J Environ Res Public Health. 2021; 18(2): 425.
- 19. Sokal LJ, Trudel LGE, Babb JC: Supporting teachers in times of change: The job demands-resources model and teacher burnout during the COVID-19 pandemic. Int J Contemp Educ. 2020; 3(2): 67.
- 20. Smith N, Fraser M: Straining the system: Novel coronavirus (COVID-19) and preparedness for concomitant disasters. Am J Public Health. 2020; 110(5): 648-649.
- 21. Auerbach A, Gale B, Lutz B, et al.: Fiscal effects of COVID-19. Brookings papers on economic activity. Available at https://www.brookings.edu/bpea-articles/fiscal-effects-of-covid-19/. Accessed October 20, 2020.
- 22. Ludvigson S, Ma S, Ng S: COVID-19 and the macroeconomic effects of costly disasters. The National Bureau of Economic Research, 2020.
- 23. Andrews RG: What if a 'big one' strikes during the pandemic? The Atlantic. 2020. Available at https://www.theatlantic.com/sci encearchive/2020/05/hurricane-earthquake-wildfire-tornado-disas ter-pandemic/611455/. Accessed September 30, 2020.
- 24. Alcendor DJ: Racial disparities-associated COVID-19 mortality among minority populations in the US. J Clin Med. 2020; 9(8): 2442.
- 25. Webb Hooper M, Nápoles AM, Pérez-Stable EJ: COVID-19 and racial/ethnic disparities. JAMA. 2020; 323(24): 2466-2467.
- 26. Middaugh JP: Pandemic influenza preparedness and community resiliency. JAMA. 2008; 299(5): 566-568.
- 27. Sapat A, Esnard AM, Kolpakov A: Understanding collaboration in disaster assistance networks: Organizational homophily or resource dependency? Am Rev Public Adm. 2019; 49(8): 957-972. 28. US Bureau of Labor Statistics: Volunteering in the United States. 2015. Available at https://www.bls.gov/news.release/volun.nr0.htm. Accessed October 1, 2020.
- 29. Center for Disease Control and Prevention: Coronavirus Disease 2019 (COVID-19): People at increased risk and other people who need to take extra precautions. Available at https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/index.html. Accessed October 15, 2020.
- 30. Clark A, Jit M, Warren-Gash C, et al.: Global, regional, and national estimates of the population at increased risk of severe COVID-19 due to underlying health conditions in 2020: A modelling study. Lancet Glob. 2020; 8(8): e1003-e1017.
- 31. O'Donnell C: Volunteers stay home, adding to struggles for food and shelter among the poor. Tampa Bay Times. March 2020.

Available at https://