



National Environmental Health Association

303-756-9090
720 S. Colorado Blvd., Suite 1000-N, Denver, CO 80246-1926
staff@neha.org

The National Environmental Health Association (NEHA) represents more than 6,700 governmental, private, academic, and uniformed services sector environmental health professionals in the U.S. and its territories and internationally. NEHA is the profession's strongest advocate for excellence in the practice of environmental health as it delivers on its mission to build, sustain, and empower an effective environmental health workforce.

Policy Statement on Ear Piercing Guns

July 2018

Policy Sunset: July 2021

In the U.S., approximately 83% of the population has their earlobes pierced and 14% has a piercing outside the earlobe (The



outbreak

Centers for Disease Control and Prevention. (2008). *Environmental management of staph and MRSA in community settings*. Atlanta, GA: Author. Retrieved from https://cdn.ymaws.com/www.syntheticturfcouncil.org/resource/resmgr/docs/cdc_mngmnt_of_staph_mrsa_in_.pdf

Centers for Disease Control and Prevention. (2018). *Hepatitis C FAQs for the public*. Retrieved from <https://www.cdc.gov/hepatitis/hcv/cfaq.htm>

Cicchetti, S., Skillman, J., & Gault, D.T. (2002). Piercing the upper ear: A simple infection, a difficult reconstruction. *British Journal of Plastic Surgery*, 55(3), 194–197.

Cohen, H.A., Nussinovitch, M., & Straussberg, R. (1994). Embedded earrings. *Cutis*, 53(2), 82.

Food and Drug Administration. (2015). *CPG sec. 320.100 ear piercing devices*. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/cpg-sec-320100-ear-piercing-devices>

Grant, D. (2002). Ear piercing guns pose hazard: Experts say sterile needle only safe method. *Pharmacy Post*, 10(7), 10.

Hallman, D. (2005, April 20). All holes barred: Pierced ear holdouts hold lobes sacred. *Chicago Tribune*. Retrieved from http://articles.chicagotribune.com/2005-04-20/features/0504190327_1_pierced-lobes-occasions

Indiana State Department of Health. (2017). *Tattoo and body piercings—Section C*. Retrieved from <http://www.in.gov/isdh/20199.htm>

Jervis, P.N., Clifton, N.J., & Woolford, T.J. (2001). Ear deformity in children following high ear piercing: Current practice, consent issues and legislation. *The Journal of Laryngology and Otology*, 115(7), 519–521.

Keene, W.E., Markum, A.C., & Samadpour, M. (2004). Outbreak of *Pseudomonas aeruginosa* infections caused by commercial piercing of upper ear cartilage. *JAMA*, 291(8), 981–985.

Lyons, M., Stephens, J., Wasson, J., DeZoysa, N., & Vlastarakos, P. (2012). High ear piercing: An increasingly popular procedure with serious complications. Is good clinical practice exercised? *European Archives of Oto Rhino Laryngology*, 269(3), 1041–1045.

Margulis, A., Bauer, B.S., & Alizadeh, K. (2003). Ear

Oklahoma State Department of Health. (2017). *Title 310. Oklahoma State Department of Health, chapter 233, body piercing and tattooing*. Oklahoma City, OK: Office of Administrative Rules. Retrieved from <https://www.ok.gov/health2/documents/CP>