



# National Environmental Health Association

---

303-756-9090  
720 S. Colorado Blvd., Suite 1000-N, Denver, CO 80246-1926  
[staff@neha.org](mailto:staff@neha.org)

The National Environmental Health Association (NEHA) represents more than 6,700 governmental, private, academic and uniformed services sector environmental health professionals in the U.S. and its territories and internationally. NEHA is the profession's strongest advocate for excellence in the practice of environmental health as it delivers on its mission to build, sustain, and empower an effective environmental health workforce.

## Policy Statement on Microblading

July 2018

Policy Sunset: July 2021

Over the past 50 years, tattooing has evolved from a stereotyped subculture to commonplace in the U.S. 21% of adults have a tattoo, which has increased from 16% in 2003 (Braverman 2012). The use of permanent cosmetics and more specifically microblading, has also risen in popularity during this time. Microblading is a relatively new type of permanent cosmetic procedure that falls under the definition of tattooing. Microblading is performed with a

4n8 Tfcon0 TD 0 Tc <0003>T469<0003>Tj /TT



Other complications that can occur from eyebrow tattooing include reactions resulting in noninfectious or infectious granulomas (raised and reddened tissue) that can spread beyond the tattooed area (Greywal & Cohen, 2016; Ro & Lee, 1991). Granuloma reactions can occur regularly and without warning. Previous skin tattoos in other areas have not been shown to be a predictor or influence the

ineffective aftercare are major risk factors for tattoo related infections (Dieckmann et al., 2016).

Increased regulation of tattooing has been shown to decrease incidents of infection and

Harsányi, E., Preisz, K., Temesvári, E., Kárpáti, S., Hárssing, J., & Kuroli, E. (2015). A case of sarcoidosis

